



FOR AUTHORIZED USE ONLY

**SHRI GURU GOBIND SINGHJI
INSTITUTE OF ENGINEERING & TECHNOLOGY,**

VISHNUPURI, NANDED – 431 606

Quotation Notice & Quotation

For

“Providing & fixing plain colour coated GI sheet cover expansion joint of
Krishna Girls Hostel”



SHRI GURU GOBIND SINGHJI INSTITUTE OF ENGINEERING
& TECHNOLOGY, VISHNUPURI, NANDED-431 606.

Date :- 05/07/2022

SHORT NOTICE FOR CONTRACTORS

Sealed quotations are invited for Providing & fixing plain colour coated GI sheet cover expansion joint of Krishna Girls Hostel. The prescribed format of this work is available our institute web site <https://sggs.ac.in/tenders-site-section/>, from 05/07/2022 to 12/07/2022. The interested Govt. registered civil contractors/Agencies are requested to give their quotations for above mentioned work up to 12/07/2022 **before 01.30 p.m.** If possible, the quotations will be opened at **3.00 p.m.** on the same day or next working day in the presence of contractor who will be remaining present.


The rights are reserved to accept or reject any or all quotation without any notice.

The contractors/Agencies should attach the following documents with Quotation :-

1. The contractor/Agencies should attach with quotation the Registration copy of contractor with any of these Government Department PWD, CPWD, BSNL, MJP, MSSIDC and DIC. OR shop act.
2. Certificate of GST No.

In the absence of above any documents quotation stand cancelled.


Site Engineer


Secretary
Building & Construction Committee



Copy to the :

- 01 All Notice Boards in this Institute.
- 02 Concerned file No.14
- 03 Institute web site.

Name of Contractor :- _____



SHRI GURU GOBIND SINGHJI INSTITUTE OF ENGINEERING &
TECHNOLOGY, VISHNUPURI, NANDED-431 606.

QUOTATION

Name of the Work :- Providing & fixing plain colour coated GI sheet over expansion joint of Krishna Girls Hostel.

Item No.	Name of work	Qty.	Unit	Rate per hour	Total Amount
Item No.1	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total on each side) plain sheets for expansion joint. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminum- Zinc alloy (55% aluminum 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface including fixing 25 mm thick hitlon below GI sheet, fixing 25mm x 3mm MS flat with tow coats of oil paint, drilling holes, fixing with stainless steel screws at both end of GI sheet, overlap of GI sheet should not be less than 0.15 m, all joint of sheet should be properly sealed etc completed. (As per market rate)	16.90	Sq.M.		
Total Amount :-					

(Rate should be inclusive of GST)*

(Inwards _____)

Place :-

Date :-

Sign. of Contractor/Agency
with seal