



FOR AUTHORIZED USE ONLY

**SHRI GURU GOBIND SINGHJI
INSTITUTE OF ENGINEERING & TECHNOLOGY,**

VISHNUPURI, NANDED – 431 606

Quotation Notice & Quotation

For

“Mechanical Playing Yard between A1 & A3 Classroom.”



**SHRI GURU GOBIND SINGHJI INSTITUTE OF ENGINEERING
& TECHNOLOGY, VISHNUPURI, NANDED-431 606.**

Date: - 28/11/2022

SHORT NOTICE FOR CONTRACTORS

Sealed quotations are invited for **Mechanical Playing Yard between A1 & A3 Classroom**. The prescribed format of this work is available our institute web site <https://sggs.ac.in/tenders-site-section/>, from 28/11/2022 to 02/12/2022. The interested Govt. registered civil contractors/Agencies are requested to give their quotations for above mentioned work up to 02/12/2022 before 01.30 p.m. If possible, the quotations will be opened at 3.00 p.m. on the same day or next working day in the presence of contractor who will be remaining present.

The rights are reserved to accept or reject any or all quotation without any notice.

The contractors/Agencies should attach the following documents with Quotation :-

1. The contractor/Agencies should attach with quotation the Registration copy of contractor with any of these Government Department PWD, CPWD, BSNL, MJP.
2. Certificate of GST No.

In the absence of above any documents quotation stand cancelled.


Site Engineer


Secretary
Building & Construction Committee

Copy to the:

- 01 All Notice Boards in this Institute.
- 02 Concerned file No.29
- 03 Institute web site.

Name of Contractor:- _____



**SHRI GURU GOBIND SINGHJI INSTITUTE OF ENGINEERING &
TECHNOLOGY, VISHNUPURI, NANDED-431 606.**

QUOTATION

Name of the Work :- Mechanical Playing Yard between A1 &A3 Classroom.

Item No.	Name of work	Qty.	Unit	Rate per unit	Total Amount
Item No.1	Removing cement tiles, or marble or polished shahabad floor or dado without bed concrete including stacking the materials as directed with all leads, lifts etc. complete	15.99	SQ.M		
Item No.2	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 0.00 to 1.50 m.) By Manual Means	6.40	CU.M		
Item No.3	Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15 cm to 20cm thick including hand packing and compacting etc. complete	3.20	CU.M		
Item No.4	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic microprocessor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	1.60	CU.M		

Item No.5	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite/quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic microprocessor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	1.60	CU.M		
Item No.6	Providing and fixing in position TMT - FE - 500 bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete.	60.00	Kg		
Item No.7	Providing internal cement plaster 20mm thick in a single coat using Ready to use wall plaster to concrete, brick surfaces in all positions including scaffolding and curing. Providing groove at joint of B.B. Masonry and concrete members complete C) cement mortar 1:3 With Prior Approval of Concerned S.E.	15.99	SQ.M		
Item No.8	Providing fine cement finish 1.5 mm thick over green plaster surface including scaffolding curing etc. complete	15.99	SQ.M		
Total Amount :-					

(Rate should be inclusive of GST)*

(Inwards

)

Place:-

Date:-

Sign. Of Contractor/Agency
with seal